



Diamond Drill Bits for Stone Concrete Ceramic Glass

1. Diamond Drill Bits for Stone Ceramic Glass

Electroplated Diamond Drill Bits for Marble Ceramic Glass	Code No.	Diameter (mm)	Length (mm)	Diamond Height	Diamond Grit	Connection
	DDB-E-01-003	3	30mm 40mm 60mm 75mm 80mm 90mm 100mm	3-10mm	#60/#80/ #100/#120	5/8"-11 M14 1/2 Gas Straight Shank (Round or Hexagonal)
	DDB-E-01-004	4				
	DDB-E-01-005	5				
	DDB-E-01-006	6				
	DDB-E-01-008	8				
	DDB-E-01-013	13				
	DDB-E-01-018	18				
	DDB-E-01-020	20				
	DDB-E-01-022	22				
	DDB-E-01-025	25				

	DDB-E-01-027	27				
	DDB-E-01-030	30				
	DDB-E-01-035	32				
	DDB-E-01-036	36				
	DDB-E-01-038	38				
	DDB-E-01-040	40				
	DDB-E-01-044	44				
	DDB-E-01-046	46				
	DDB-E-01-051	51				
	DDB-E-01-056	56				
	DDB-E-01-063	63				
	DDB-E-01-066	66				
	DDB-E-01-071	71				
	DDB-E-01-076	76				
	DDB-E-01-083	83				
	DDB-E-01-089	89				
	DDB-E-01-096	96				
	DDB-E-01-102	102				
	DDB-E-01-108	108				
	DDB-E-01-114	114				
	DDB-E-01-120	120				
	DDB-E-01-127	127				
	DDB-E-01-132	132				
	DDB-E-01-152	152				
	DDB-E-01-159	159				
	DDB-E-01-168	168				
	DDB-E-01-180	180				
	DDB-E-01-200	200				
	DDB-E-01-230	230				
	DDB-E-01-250	250				

Vacuum Brazed Diamond Drill Bits for General Purpose	Code No.	Diameter (mm)	Length (mm)	Diamond Height	Diamond Grit	Connection
	DDB-VB-01-006	6	30mm 40mm 60mm 75mm 80mm 90mm 100mm	5-15mm	#30/#40/ #60/#80/ #100/#120	5/8"-11 M14 1/2 Gas Straight Shank (Round or Hexagonal)
	DDB-VB-01-008	8				
	DDB-VB-01-010	10				
	DDB-VB-01-012	12				
	DDB-VB-01-014	14				
	DDB-VB-01-016	16				
	DDB-VB-01-018	18				
	DDB-VB-01-020	20				
	DDB-VB-01-022	22				
	DDB-VB-01-025	25				
	DDB-VB-01-027	27				

	DDB-VB-01-030	30				
	DDB-VB-01-032	32				
	DDB-VB-01-035	35				
	DDB-VB-01-038	38				
	DDB-VB-01-040	40				
	DDB-VB-01-045	45				
	DDB-VB-01-050	50				
	DDB-VB-01-055	55				
	DDB-VB-01-060	60				
	DDB-VB-01-065	65				
	DDB-VB-01-070	70				
	DDB-VB-01-075	75				
	DDB-VB-01-083	83				
	DDB-VB-01-087	87				
	DDB-VB-01-092	92				
	DDB-VB-01-102	102				
	DDB-VB-01-107	107				
	DDB-VB-01-110	110				
	DDB-VB-01-120	120				
	DDB-VB-01-127	127				
	DDB-VB-01-132	132				
	DDB-VB-01-152	152				
	DDB-VB-01-159	159				
	DDB-VB-01-168	168				
	DDB-VB-01-180	180				
	DDB-VB-01-200	200				
	DDB-VB-01-230	230				
	DDB-VB-01-250	250				

Small Diameter Diamond Drill Bits for Stone Concrete	Code No.	Diameter (mm)	Segment Size(mm)	Pipe Length	Welding Method	Adaptor
	DDB-S-03-06	6mm (1/4")	Φ6xH11	4" (100mm)	High frequency welded	5/8"-11 M14 1/2 Gas Straight Shank (Round or Hexagonal)
	DDB-S-03-08	8mm (5/16")	Φ8xH11			
	DDB-S-03-10	10mm (3/8")	Φ10xH11			
	DDB-S-03-12	12mm	Φ12xH11			
	DDB-S-03-13	13mm (1/2")	Φ13xH11			
	DDB-S-03-14	14mm	Φ14xH11			
	DDB-S-03-16	16mm (5/8")	Φ16xH11			
	DDB-S-03-18	18mm	Φ18xH11			

Hot-Press Sintered Continuous Rim Diamond Drill Bits for Stone Ceramic Glass	Code No.	Diameter (mm)	Length (mm)	Diamond Height	Diamond Grit	Connection
--	----------	------------------	----------------	-------------------	-----------------	------------

	DDB-S-04	3-150mm	75mm 95mm	10mm 15mm 20mm	#60/#80/ #100/#120	5/8"-11 M14 1/2 Gas Straight Shank (Round, Hexagonal)
--	----------	---------	--------------	----------------------	-----------------------	--

Diamond Drill Bits with Crown Segments for Stone Ceramic	Code No.	Diameter	Segment Size	Pipe Length	Welding Method	Adaptor
	DDB-S-05-20	20mm (3/4")	Φ20x3x10	4" (100mm)	High frequency welding	5/8"-11 M14 1/2 Gas Straight Shank (Round, Hexagonal)
	DDB-S-05-22	22mm (7/8")	Φ22x3x10			
	DDB-S-05-25	25mm (1")	Φ25x3x10			
	DDB-S-05-29	29mm (1-1/8")	Φ29x3x10			
	DDB-S-05-32	32mm (1-1/4")	Φ32x3x10			
	DDB-S-05-35	35mm (1-3/8")	Φ35x3x10			
	DDB-S-05-38	38mm (1-1/2")	Φ38x3x10			
	DDB-S-05-42	42mm (1-5/8")	Φ42x3x10			
	DDB-S-05-45	45mm (1-3/4")	Φ45x3x10			
	DDB-S-05-48	48mm(1-7/8")	Φ48x3x10			
	DDB-S-05-20	50/51mm (2")	Φ51x3x10			

Diamond Drill Bits for Granite with normal Segments	Code No.	Diameter	Segment Size	Pipe Length	Welding Method	Adaptor
	DDB-S-06-020	20mm (3/4")	17/12x3x10	4" (100mm) or as per demand	High frequency welding or Laser Welding	5/8"-11 M14 1/2 Gas Straight Shank (Round, Hexagonal)
	DDB-S-06-022	22mm (7/8")	17/12x3x10			
	DDB-S-06-025	25mm (1")	17/12x3x10			
	DDB-S-06-029	29mm (1-1/8")	17/12x3x10			
	DDB-S-06-032	32mm (1-1/4")	16x3x10			
	DDB-S-06-035	35mm (1-3/8")	16x3x10			
	DDB-S-06-038	38mm (1-1/2")	16x3x10			
	DDB-S-06-042	42mm (1-5/8")	16x3x10			
	DDB-S-06-045	45mm (1-3/4")	16x3x10			
	DDB-S-06-050	50/51mm (2")	16x3x10			
	DDB-S-06-057	57mm (2-1/4")	22x3.5x10			
	DDB-S-06-060	60mm (2-3/8")	22x3.5x10			
	DDB-S-06-063	63mm (2-1/2")	22x3.5x10			
	DDB-S-06-070	70mm (2-3/4")	22x3.5x10			
	DDB-S-06-076	76mm (3")	22x3.5x10			
	DDB-S-06-080	80mm (3-1/8")	22x3.5x10			
	DDB-S-06-089	89mm (3-1/2")	22x3.5x10			
	DDB-S-06-102	102mm (4")	22x3.5x10			
	DDB-S-06-110	110mm (4-3/8")	22x3.5x10			
	DDB-S-06-127	127mm (5")	24x4x10			

Diamond Drill Bits for Granite Turbo Segments and Pipe Side Diamond Vacuum Brazed	Code No.	Diameter	Segment Size	Pipe Length	Welding Method	Adaptor
	DDB-S-07-020	20mm (3/4")	16x2.5x10	4" (100mm) or as per demand	High frequency welding or Laser Welding	5/8"-11 M14 1/2 Gas Straight Shank (Round, Hexagonal)
	DDB-S-07-022	22mm (7/8")	16x2.5x10			
	DDB-S-07-025	25mm (1")	16x2.5x10			
	DDB-S-07-029	29mm (1-1/8")	16x2.5x10			
	DDB-S-07-032	32mm (1-1/4")	16x3x10			
	DDB-S-07-035	35mm (1-3/8")	16x3x10			
	DDB-S-07-038	38mm (1-1/2")	16x3x10			
	DDB-S-07-042	42mm (1-5/8")	16x3x10			
	DDB-S-07-045	45mm (1-3/4")	16x3x10			
	DDB-S-07-050	50/51mm (2")	16x3x10			
	DDB-S-07-057	57mm (2-1/4")	22x3.5x10			
	DDB-S-07-060	60mm (2-3/8")	22x3.5x10			
	DDB-S-07-063	63mm (2-1/2")	22x3.5x10			
	DDB-S-07-070	70mm (2-3/4")	22x3.5x10			
	DDB-S-07-076	76mm (3")	22x3.5x10			
	DDB-S-07-080	80mm (3-1/8")	22x3.5x10			
	DDB-S-07-089	89mm (3-1/2")	22x3.5x10			
	DDB-S-07-102	102mm (4")	22x3.5x10			
	DDB-S-07-110	110mm (4-3/8")	22x3.5x10			
	DDB-S-07-127	127mm (5")	24x4x10			


Diamond Drill Bits with Arix Segments and Pipe Side Diamond Vacuum Brazed for Granite	Code No.	Diameter	Segment Size	Pipe Length	Welding Method	Adaptor
	DDB-S-08-020	20mm (3/4")	17/12x3x10	4" (100mm) or as per demand	High frequency welding or Laser Welding	5/8"-11 M14 1/2 Gas Straight Shank (Round, Hexagonal)
	DDB-S-08-022	22mm (7/8")	17/12x3x10			
	DDB-S-08-025	25mm (1")	17/12x3x10			
	DDB-S-08-029	29mm (1-1/8")	17/12x3x10			
	DDB-S-08-032	32mm (1-1/4")	16x3x10			
	DDB-S-08-035	35mm (1-3/8")	16x3x10			
	DDB-S-08-038	38mm (1-1/2")	16x3x10			
	DDB-S-08-042	42mm (1-5/8")	16x3x10			
	DDB-S-08-045	45mm (1-3/4")	16x3x10			
	DDB-S-08-050	50/51mm (2")	16x3x10			
	DDB-S-08-057	57mm (2-1/4")	22x3.5x10			
	DDB-S-08-060	60mm (2-3/8")	22x3.5x10			
	DDB-S-08-063	63mm (2-1/2")	22x3.5x10			
	DDB-S-08-070	70mm (2-3/4")	22x3.5x10			
	DDB-S-08-076	76mm (3")	22x3.5x10			
	DDB-S-08-080	80mm (3-1/8")	22x3.5x10			
	DDB-S-08-089	89mm (3-1/2")	22x3.5x10			
	DDB-S-08-102	102mm (4")	22x3.5x10			

	DDB-S-08-110	110mm (4-3/8")	22x3.5x10			
	DDB-S-08-127	127mm (5")	24x4x10			

Diamond Drill Bits - Double Layers Segments for Stone Concrete	Code No.	Diameter	Up-layer Diameter	Segment Size	Segment No.	Drilling Depth
	DDB-S09-45	45mm	67mm	24x3.5x10mm 12x5x8mm	4+8	40mm
	DDB-S09-50	50mm	72mm			
	DDB-S09-54	54mm	74mm			

2. Diamond Drill Bits for Construction(Concrete, Brick, Wall, etc.)

Diamond Drill Bits for Concrete Dry Use	Code No.	Diameter	Overall Length	Effective Drilling Length	Segment Size(mm)	Segment No.	Segment Shape	Vents Type
	DDB-C01-22	22mm	170mm	150mm	17x3.0x10	3	Normal Flat, Turbo, Dot, Great Wall, etc.	Straight oblique
	DDB-C01-25	25mm	170mm	150mm	17x3.0x10	3		
	DDB-C01-29	29mm	170mm	150mm	17x3.0x10	3		
	DDB-C01-32	32mm	170mm	150mm	17x3.0x10	3		
	DDB-C01-38	38mm	170mm	150mm	17x3.0x10	3		
	DDB-C01-42	42mm	170mm	150mm	24x3.5x10	3		
	DDB-C01-48	48mm	170mm	150mm	24x3.5x10	3		
	DDB-C01-52	52mm	170mm	150mm	24x3.5x10	3		
	DDB-C01-58	58mm	170mm	150mm	24x3.5x10	3		
	DDB-C01-65	65mm	170mm	150mm	24x3.5x10	3		
	DDB-C01-68	68mm	170mm	150mm	24x3.5x10	3		
	DDB-C01-72	72mm	170mm	150mm	24x3.5x10	4		
	DDB-C01-75	75mm	170mm	150mm	24x3.5x10	4		
	DDB-C01-78	78mm	170mm	150mm	24x3.5x10	4		
	DDB-C01-82	82mm	170mm	150mm	24x3.5x10	4		
	DDB-C01-90	90mm	170mm	150mm	24x3.5x10	4		
	DDB-C01-95	95mm	170mm	150mm	24x3.5x10	5		
	DDB-C01-102	102mm(4")	170mm	150mm	24x4.0x10	5		
	DDB-C01-107	107mm	170mm	150mm	24x4.0x10	5		
	DDB-C01-112	112mm	170mm	150mm	24x4.0x10	6		
	DDB-C01-117	117mm	170mm	150mm	24x4.0x10	6		
	DDB-C01-127	127mm(5")	170mm	150mm	24x4.0x10	6		
	DDB-C01-150	150mm(6")	170mm	150mm	24x4.0x10	7		
	DDB-C01-180	180mm(7")	170mm	150mm	24x4.0x10	9		
	DDB-C01-200	200mm(8")	170mm	150mm	24x4.5x10	9		
	DDB-C01-230	230mm(9")	170mm	150mm	24x4.5x10	10		
	DDB-C01-250	250mm(10")	170mm	150mm	24x4.5x10	11		


Diamond Drill Bits for Concrete Wet Use Flat Segments	Code No.	Diameter	Segment Size	Segment No.	Working Length	Welding Method	Adaptor
	DDB-C02-25	25mm	15x3.0x10	3	230mm 370mm 400mm 450mm 500mm	High frequency welding or Laser Welding	1/2 Gas 1/2 Bsp M14 M22 5/8"-11 1-1/4UNC
	DDB-C02-28	28mm	15x3.0x10	3			
	DDB-C02-30	30mm	15x3.0x10	3			
	DDB-C02-32	32mm	15x3.0x10	4			
	DDB-C02-36	36mm	15x3.0x10	4			
	DDB-C02-38	38mm	16x3.2x10	5			
	DDB-C02-40	40mm	16x3.2x10	5			
	DDB-C02-42	42mm	16x3.2x10	5			
	DDB-C02-47	47mm	16x3.2x10	4			
	DDB-C02-51	51mm	24x3.5x10	5			
	DDB-C02-63	63mm	24x3.5x10	6			
	DDB-C02-68	68mm	24x3.5x10	6			
	DDB-C02-78	78mm	24x3.5x10	7			
	DDB-C02-82	82mm	24x3.5x10	7			
	DDB-C02-92	92mm	24x3.5x10	8			
	DDB-C02-102	102mm	24x3.5x10	9			
	DDB-C02-108	108mm	24x3.5x10	9			
	DDB-C02-112	112mm	24x4.0x10	9			
	DDB-C02-122	122mm	24x4.0x10	10			
	DDB-C02-127	127mm	24x4.0x10	11			
	DDB-C02-132	132mm	24x4.0x10	11			
	DDB-C02-152	152mm	24x4.0x10	12			
	DDB-C02-162	162mm	24x4.5x10	12			
	DDB-C02-172	172mm	24x4.5x10	12			
	DDB-C02-182	182mm	24x4.5x10	13			
	DDB-C02-202	202mm	24x4.5x10	15			
	DDB-C02-212	212mm	24x4.5x10	16			
	DDB-C02-225	225mm	24x4.5x10	16			
	DDB-C02-250	250mm	24x4.5x10	16			
	DDB-C02-300	300mm	24x5.0x10	17			
	DDB-C02-350	350mm	24x5.5x10	20			

Diamond Drill Bits for Concrete Wet Use Dot Segments	Code No.	Diameter	Segment Size	Segment No.	Working Length	Welding Method	Adaptor
	DDB-C03-25	25mm	15x3.0x10mm	3	230mm 370mm 400mm 450mm 500mm	High frequency welding or Laser Welding	1/2 Gas 1/2 Bsp M14 M22 5/8"-11 1-1/4UNC
	DDB-C03-28	28mm	15x3.0x10mm	3			
	DDB-C03-30	30mm	15x3.0x10mm	3			
	DDB-C03-32	32mm	15x3.2x10mm	4			
	DDB-C03-36	36mm	15x3.2x10mm	4			
	DDB-C03-38	38mm	15x3.2x10mm	5			
	DDB-C03-40	40mm	15x3.2x10mm	5			
	DDB-C03-42	42mm	15x3.2x10mm	5			


	DDB-C03-47	47mm	24x3.5x10mm	4			
	DDB-C03-51	51mm	24x3.5x10mm	5			
	DDB-C03-63	63mm	24x3.5x10mm	6			
	DDB-C03-68	68mm	24x3.5x10mm	6			
	DDB-C03-78	78mm	24x3.5x10mm	7			
	DDB-C03-82	82mm	24x3.5x10mm	7			
	DDB-C03-92	92mm	24x3.5x10mm	8			
	DDB-C03-102	102mm	24x3.5x10mm	9			
	DDB-C03-108	108mm	24x3.5x10mm	9			
	DDB-C03-112	112mm	24x3.5x10mm	9			
	DDB-C03-122	122mm	24x4.0x10mm	10			
	DDB-C03-127	127mm	24x4.0x10mm	11			
	DDB-C03-132	132mm	24x4.0x10mm	11			
	DDB-C03-152	152mm	24x4.0x10mm	12			
	DDB-C03-162	162mm	24x4.0x10mm	12			
	DDB-C03-172	172mm	24x4.0x10mm	12			
	DDB-C03-182	182mm	24x4.5x10mm	13			
	DDB-C03-202	202mm	24x4.5x10mm	15			
	DDB-C03-212	212mm	24x4.5x10mm	16			
	DDB-C03-225	225mm	24x4.5x10mm	16			
	DDB-C03-250	250mm	24x4.5x10mm	16			
	DDB-C03-300	300mm	24x5.0x10mm	17			
	DDB-C03-350	350mm	24x5.5x10mm	20			

Diamond Drill Bits for Concrete Wet Use Crown Segments	Code No.	Diameter	Segment Size	Segment No.	Working Length	Welding Method	Adaptor
	DDB-C04-30	30mm	17x3.6x10mm	3	230mm 370mm 400mm 450mm 500mm	High frequency welding or Laser Welding	1/2 Gas 1/2 Bsp M14 M22 5/8"-11 1-1/4UNC
	DDB-C04-32	32mm	17x3.6x10mm	4			
	DDB-C04-36	36mm	23x3.8x10mm	4			
	DDB-C04-38	38mm	23x3.8x10mm	5			
	DDB-C04-40	40mm	23x3.8x10mm	5			
	DDB-C04-42	42mm	23x3.8x10mm	5			
	DDB-C04-47	47mm	23x3.8x10mm	4			
	DDB-C04-51	51mm	23x4.0x10mm	5			
	DDB-C04-63	63mm	23x4.0x10mm	6			
	DDB-C04-68	68mm	23x4.0x10mm	6			
	DDB-C04-78	78mm	23x4.0x10mm	7			
	DDB-C04-82	82mm	23x4.0x10mm	7			
	DDB-C04-92	92mm	23x4.0x10mm	8			
	DDB-C04-102	102mm	23x4.0x10mm	9			
	DDB-C04-108	108mm	23x4.2x10mm	9			
	DDB-C04-112	112mm	23x4.2x10mm	9			
	DDB-C04-122	122mm	23x4.2x10mm	10			
	DDB-C04-127	127mm	23x4.2x10mm	11			

	DDB-C04-132	132mm	23x4.2x10mm	11			
	DDB-C04-152	152mm	23x4.5x10mm	12			
	DDB-C04-162	162mm	23x4.5x10mm	12			
	DDB-C04-172	172mm	23x4.5x10mm	12			
	DDB-C04-182	182mm	23x4.5x10mm	13			
	DDB-C04-202	202mm	23x4.5x10mm	15			
	DDB-C04-212	212mm	23x4.5x10mm	16			
	DDB-C04-225	225mm	23x4.5x10mm	16			
	DDB-C04-250	250mm	23x4.5x10mm	16			
	DDB-C04-300	300mm	23x5.0x10mm	17			
	DDB-C04-350	350mm	23x5.5x10mm	20			

Diamond Drill Bits for Concrete Wet Use Cuspate Segments	Code No.	Diameter	Segment Size	Segment No.	Working Length	Welding Method	Adaptor
	DDB-C05-32	32mm	15x3.0x11mm	4	230mm 370mm 400mm 450mm 500mm	High frequency welding or Laser Welding	1/2 Gas 1/2 Bsp M14 M22 5/8"-11 1-1/4UNC
	DDB-C05-36	36mm	15x3.0x11mm	4			
	DDB-C05-38	38mm	15x3.0x11mm	5			
	DDB-C05-40	40mm	15x3.0x11mm	5			
	DDB-C05-42	42mm	24*3.5x11mm	5			
	DDB-C05-47	47mm	24*3.5x11mm	4			
	DDB-C05-51	51mm	24*3.5x11mm	5			
	DDB-C05-63	63mm	24*3.5x11mm	6			
	DDB-C05-68	68mm	24*3.5x11mm	6			
	DDB-C05-78	78mm	24*3.5x11mm	7			
	DDB-C05-82	82mm	24*3.5x11mm	7			
	DDB-C05-92	92mm	24*3.5x11mm	8			
	DDB-C05-102	102mm	24*3.5x11mm	9			
	DDB-C05-108	108mm	24*3.5x11mm	9			
	DDB-C05-112	112mm	24*4.0x11mm	9			
	DDB-C05-122	122mm	24*4.0x11mm	10			
	DDB-C05-127	127mm	24*4.0x11mm	11			
	DDB-C05-132	132mm	24*4.0x11mm	11			
	DDB-C05-152	152mm	24*4.0x11mm	12			
	DDB-C05-162	162mm	24x4.5x11mm	12			
	DDB-C05-172	172mm	24x4.5x11mm	12			
	DDB-C05-182	182mm	24x4.5x11mm	13			
	DDB-C05-202	202mm	24x4.5x11mm	15			
	DDB-C05-212	212mm	24x4.5x11mm	16			
	DDB-C05-225	225mm	24x4.5x11mm	16			
	DDB-C05-250	250mm	24x4.5x11mm	16			
	DDB-C05-300	300mm	24x5.0x11mm	17			
	DDB-C05-350	350mm	24x5.5x11mm	20			


Diamond Drill Bits for Concrete Wet Use Turbo Segments	Code No.	Diameter	Segment Size	Segment No.	Working Length	Welding Method	Adaptor
	DDB-C06-32	32mm	16x3.0x10mm	4	230mm 370mm 400mm 450mm 500mm	High frequency welding or Laser Welding	1/2 Gas 1/2 Bsp M14 M22 5/8"-11 1-1/4UNC
	DDB-C06-36	36mm	16x3.0x10mm	4			
	DDB-C06-38	38mm	16x3.0x10mm	5			
	DDB-C06-40	40mm	16x3.0x10mm	5			
	DDB-C06-42	42mm	16x3.0x10mm	5			
	DDB-C06-47	47mm	16x3.0x10mm	4			
	DDB-C06-51	51mm	24*3.5x11mm	5			
	DDB-C06-63	63mm	24*3.5x11mm	6			
	DDB-C06-68	68mm	24*3.5x11mm	6			
	DDB-C06-78	78mm	24*3.5x11mm	7			
	DDB-C06-82	82mm	24*3.5x11mm	7			
	DDB-C06-92	92mm	24*3.5x11mm	8			
	DDB-C06-102	102mm	24*3.5x11mm	9			
	DDB-C06-108	108mm	24*3.5x11mm	9			
	DDB-C06-112	112mm	24*4.0x11mm	9			
	DDB-C06-122	122mm	24*4.0x11mm	10			
	DDB-C06-127	127mm	24*4.0x11mm	11			
	DDB-C06-132	132mm	24*4.0x11mm	11			
	DDB-C06-152	152mm	24*4.0x11mm	12			
	DDB-C06-162	162mm	24x4.5x11mm	12			
	DDB-C06-172	172mm	24x4.5x11mm	12			
	DDB-C06-182	182mm	24x4.5x11mm	13			
	DDB-C06-202	202mm	24x4.5x11mm	15			
	DDB-C06-212	212mm	24x4.5x11mm	16			
	DDB-C06-225	225mm	24x4.5x11mm	16			
	DDB-C06-250	250mm	24x4.5x11mm	16			
	DDB-C06-300	300mm	24x5.0x11mm	17			
	DDB-C06-350	350mm	24x5.5x11mm	20			

Diamond Drill Bits for Concrete Wet Use Cuspate Turbo Segments	Code No.	Diameter	Segment Size	Segment No.	Working Length	Welding Method	Adaptor
	DDB-C07-32	32mm	15x3.0x11mm	4	230mm 370mm 400mm 450mm 500mm	High frequency welding or Laser Welding	1/2 Gas 1/2 Bsp M14 M22 5/8"-11 1-1/4UNC
	DDB-C07-36	36mm	15x3.0x11mm	4			
	DDB-C07-38	38mm	15x3.0x11mm	5			
	DDB-C07-40	40mm	15x3.0x11mm	5			
	DDB-C07-42	42mm	24*3.5x11mm	5			
	DDB-C07-47	47mm	24*3.5x11mm	4			
	DDB-C07-51	51mm	24*3.5x11mm	5			
	DDB-C07-63	63mm	24*3.5x11mm	6			
	DDB-C07-68	68mm	24*3.5x11mm	6			
	DDB-C07-78	78mm	24*3.5x11mm	7			
	DDB-C07-82	82mm	24*3.5x11mm	7			

	DDB-C07-92	92mm	24*3.5x11mm	8			
	DDB-C07-102	102mm	24*3.5x11mm	9			
	DDB-C07-108	108mm	24*3.5x11mm	9			
	DDB-C07-112	112mm	24*4.0x11mm	9			
	DDB-C07-122	122mm	24*4.0x11mm	10			
	DDB-C07-127	127mm	24*4.0x11mm	11			
	DDB-C07-132	132mm	24*4.0x11mm	11			
	DDB-C07-152	152mm	24*4.0x11mm	12			
	DDB-C07-162	162mm	24x4.5x11mm	12			
	DDB-C07-172	172mm	24x4.5x11mm	12			
	DDB-C07-182	182mm	24x4.5x11mm	13			
	DDB-C07-202	202mm	24x4.5x11mm	15			
	DDB-C07-212	212mm	24x4.5x11mm	16			
	DDB-C07-225	225mm	24x4.5x11mm	16			
	DDB-C07-250	250mm	24x4.5x11mm	16			
	DDB-C07-300	300mm	24x5.0x11mm	17			
	DDB-C07-350	350mm	24x5.5x11mm	20			

Diamond Drill Bits for Concrete Wet Use V-Tip Segments	Code No.	Diameter	Segment Size	Segment No.	Working Length	Welding Method	Adaptor
	DDB-C08-32	32mm	16x3.0x12mm	4	230mm 370mm 400mm 450mm 500mm	High frequency welding or Laser Welding	1/2 Gas 1/2 Bsp M14 M22 5/8"-11 1-1/4UNC
	DDB-C08-36	36mm	16x3.0x12mm	4			
	DDB-C08-38	38mm	16x3.0x12mm	5			
	DDB-C08-40	40mm	16x3.0x12mm	5			
	DDB-C08-42	42mm	24*3.5x12mm	5			
	DDB-C08-47	47mm	24*3.5x12mm	4			
	DDB-C08-51	51mm	24*3.5x12mm	5			
	DDB-C08-63	63mm	24*3.5x12mm	6			
	DDB-C08-68	68mm	24*3.5x12mm	6			
	DDB-C08-78	78mm	24*3.5x12mm	7			
	DDB-C08-82	82mm	24*3.5x12mm	7			
	DDB-C08-92	92mm	24*3.5x12mm	8			
	DDB-C08-102	102mm	24*3.5x12mm	9			
	DDB-C08-108	108mm	24*3.5x12mm	9			
	DDB-C08-112	112mm	24*4.0x12mm	9			
	DDB-C08-122	122mm	24*4.0x12mm	10			
	DDB-C08-127	127mm	24*4.0x12mm	11			
	DDB-C08-132	132mm	24*4.0x12mm	11			
	DDB-C08-152	152mm	24*4.0x12mm	12			
	DDB-C08-162	162mm	24x4.5x12mm	12			
	DDB-C08-172	172mm	24x4.5x12mm	12			
	DDB-C08-182	182mm	24x4.5x12mm	13			
	DDB-C08-202	202mm	24x4.5x12mm	15			
	DDB-C08-212	212mm	24x4.5x12mm	16			

	DDB-C08-225	225mm	24x4.5x12mm	16			
	DDB-C08-250	250mm	24x4.5x12mm	16			
	DDB-C08-300	300mm	24x5.0x12mm	17			
	DDB-C08-350	350mm	24x5.5x12mm	20			

Diamond Drill Bits for Concrete Wet Use Matrix(Arix) Segments	Code No.	Diameter	Segment Size	Segment No.	Working Length	Welding Method	Adaptor
	DDB-C09-25	25mm	15x3.0x10	3	230mm 370mm 400mm 450mm 500mm	High frequency welding or Laser Welding	1/2 Gas 1/2 Bsp M14 M22 5/8"-11 1-1/4UNC
	DDB-C09-28	28mm	15x3.0x10	3			
	DDB-C09-30	30mm	15x3.0x10	3			
	DDB-C09-32	32mm	15x3.0x10	4			
	DDB-C09-36	36mm	15x3.0x10	4			
	DDB-C09-38	38mm	16x3.2x10	5			
	DDB-C09-40	40mm	16x3.2x10	5			
	DDB-C09-42	42mm	16x3.2x10	5			
	DDB-C09-47	47mm	16x3.2x10	4			
	DDB-C09-51	51mm	24x3.5x10	5			
	DDB-C09-63	63mm	24x3.5x10	6			
	DDB-C09-68	68mm	24x3.5x10	6			
	DDB-C09-78	78mm	24x3.5x10	7			
	DDB-C09-82	82mm	24x3.5x10	7			
	DDB-C09-92	92mm	24x3.5x10	8			
	DDB-C09-102	102mm	24x3.5x10	9			
	DDB-C09-108	108mm	24x3.5x10	9			
	DDB-C09-112	112mm	24x4.0x10	9			
	DDB-C09-122	122mm	24x4.0x10	10			
	DDB-C09-127	127mm	24x4.0x10	11			
	DDB-C09-132	132mm	24x4.0x10	11			
	DDB-C09-152	152mm	24x4.0x10	12			
	DDB-C09-162	162mm	24x4.5x10	12			
	DDB-C09-172	172mm	24x4.5x10	12			
	DDB-C09-182	182mm	24x4.5x10	13			
	DDB-C09-202	202mm	24x4.5x10	15			
	DDB-C09-212	212mm	24x4.5x10	16			
	DDB-C09-225	225mm	24x4.5x10	16			
	DDB-C09-250	250mm	24x4.5x10	16			
	DDB-C09-300	300mm	24x5.0x10	17			
	DDB-C09-350	350mm	24x5.5x10	20			

3. Diamond Segments of Drill Bit for Concrete Stone Bricks

Crown Shape	Code No.	Diameter	Segment Size W*H(mm)
	DSDB-01-14	14mm	2.5*10mm
	DSDB-01-16	16mm(5/8")	2.5*10mm
	DSDB-01-18	18mm	2.5*10mm
	DSDB-01-20	3/4"(20mm)	2.5*10mm
	DSDB-01-22	7/8"(22mm)	2.5*10mm
	DSDB-01-25	1"(25mm)	2.5*10mm
	DSDB-01-29	1.18"(29mm)	2.5*10mm
	DSDB-01-32	1-1/4"(32mm)	2.5*10mm
	DSDB-01-35	1-3/8"(35mm)	2.5*10mm
	DSDB-01-38	1-1/2"(38mm)	3.0*10mm
	DSDB-01-42	1.63"(42mm)	3.0*10mm
	DSDB-01-45	1-3/4"(45mm)	3.0*10mm
	DSDB-01-48	1.88"(48mm)	3.0*10mm
	DSDB-01-52	2"(52mm)	3.0*10mm

Normal type	Code No.	Diameter	Segment Size (LxWxHmm)	Segment No. (pcs/set)
	DSDB-02-22	7/8"(22mm)	17x3.0x10	3
	DSDB-02-25	1"(25mm)	17x3.0x10	4
	DSDB-02-29	1.18"(29mm)	17x3.0x10	4
	DSDB-02-32	1.25"(32mm)	16x3.0x10	4
	DSDB-02-35	1.38"(35mm)	16x3.0x10	4
	DSDB-02-38	1.50"(38mm)	16x3.0x10	5
	DSDB-02-42	1.63"(42mm)	16x3.0x10	5
	DSDB-02-45	1.75"(45mm)	16x3.0x10	6
	DSDB-02-48	1.88"(48mm)	16x3.0x10	6
	DSDB-02-52	2"(52mm)	16x3.0x10	7
	DSDB-02-57	2.25"(57mm)	22x3.5x10	5
	DSDB-02-63	2.50"(63mm)	22x3.5x10	6
	DSDB-02-70	2.75"(70mm)	22x3.5x10	7
	DSDB-02-76	3"(76mm)	22x3.5x10	8
	DSDB-02-82	3.25"(82mm)	22x3.5x10	9
	DSDB-02-89	3.50"(89mm)	22x3.5x10	10
	DSDB-02-102	4"(102mm)	22x3.5x10	10
	DSDB-02-108	4.25"(108mm)	22x3.5x10	11
	DSDB-02-114	4.50"(114mm)	22x3.5x10	11
	DSDB-02-120	4.75"(120mm)	24x4.0x10	11
	DSDB-02-127	5"(127mm)	24x4.0x10	11
	DSDB-02-140	5.5"(140mm)	24x4.0x10	12
	DSDB-02-146	5.75"(146mm)	24x4.0x10	13
	DSDB-02-152	6"(152mm)	24x4.0x10	13
	DSDB-02-159	6.25"(159mm)	24x4.0x10	14

	DSDB-02-165	6.5"(165mm)	24x4.0x10	15
	DSDB-02-178	7"(178mm)	24x4.0x10	16
	DSDB-02-203	8"(203mm)	24x4.5x10	18
	DSDB-02-229	9"(229mm)	24x4.5x10	20
	DSDB-02-254	10"(254mm)	24x4.5x10	23
	DSDB-02-280	11"(280mm)	24x5.0x10	25
	DSDB-02-305	12"(305mm)	24x5.0x10	27
	DSDB-02-330	13"(330mm)	24x5.5x10	30
	DSDB-02-356	14"(356mm)	24x5.5x10	32

Roof top	Code No.	Diameter	Segment Size (LxWxHmm)	Segment No. (pcs/set)
	DSDB-03-57	2.25"(57mm)	22x3.5x10	5
	DSDB-03-63	2.50"(63mm)	22x3.5x10	6
	DSDB-03-70	2.75"(70mm)	22x3.5x10	7
	DSDB-03-76	3"(76mm)	22x3.5x10	8
	DSDB-03-82	3.25"(82mm)	22x3.5x10	9
	DSDB-03-89	3.50"(89mm)	22x3.5x10	10
	DSDB-03-102	4"(102mm)	22x3.5x10	10
	DSDB-03-108	4.25"(108mm)	22x3.5x10	11
	DSDB-03-114	4.50"(114mm)	22x3.5x10	11
	DSDB-03-120	4.75"(120mm)	24x4.0x10	11
	DSDB-03-127	5"(127mm)	24x4.0x10	11
	DSDB-03-140	5.5"(140mm)	24x4.0x10	12
	DSDB-03-146	5.75"(146mm)	24x4.0x10	13
	DSDB-03-152	6"(152mm)	24x4.0x10	13
	DSDB-03-159	6.25"(159mm)	24x4.0x10	14
	DSDB-03-165	6.5"(165mm)	24x4.0x10	15
	DSDB-03-178	7"(178mm)	24x4.0x10	16
	DSDB-03-203	8"(203mm)	24x4.5x10	18
	DSDB-03-229	9"(229mm)	24x4.5x10	20
	DSDB-03-254	10"(254mm)	24x4.5x10	23
	DSDB-03-280	11"(280mm)	24x5.0x10	25
	DSDB-03-305	12"(305mm)	24x5.0x10	27
	DSDB-03-330	13"(330mm)	24x5.5x10	30
	DSDB-03-356	14"(356mm)	24x5.5x10	32

Wave top	Code No.	Diameter	Segment Size (LxWxHmm)	Segment No. (pcs/set)
	DSDB-04-57	2.25"(57mm)	22x3.5x10	5
	DSDB-04-63	2.50"(63mm)	22x3.5x10	6
	DSDB-04-70	2.75"(70mm)	22x3.5x10	7
	DSDB-04-76	3"(76mm)	22x3.5x10	8
	DSDB-04-82	3.25"(82mm)	22x3.5x10	9
	DSDB-04-89	3.50"(89mm)	22x3.5x10	10
	DSDB-04-102	4"(102mm)	22x3.5x10	10



DSDB-04-108	4.25"(108mm)	22x3.5x10	11
DSDB-04-114	4.50"(114mm)	22x3.5x10	11
DSDB-04-120	4.75"(120mm)	24x4.0x10	11
DSDB-04-127	5"(127mm)	24x4.0x10	11
DSDB-04-140	5.5"(140mm)	24x4.0x10	12
DSDB-04-146	5.75"(146mm)	24x4.0x10	13
DSDB-04-152	6"(152mm)	24x4.0x10	13
DSDB-04-159	6.25"(159mm)	24x4.0x10	14
DSDB-04-165	6.5"(165mm)	24x4.0x10	15
DSDB-04-178	7"(178mm)	24x4.0x10	16
DSDB-04-203	8"(203mm)	24x4.5x10	18
DSDB-04-229	9"(229mm)	24x4.5x10	20
DSDB-04-254	10"(254mm)	24x4.5x10	23
DSDB-04-280	11"(280mm)	24x5.0x10	25
DSDB-04-305	12"(305mm)	24x5.0x10	27
DSDB-04-330	13"(330mm)	24x5.5x10	30
DSDB-04-356	14"(356mm)	24x5.5x10	32

Dots top



Code No.	Diameter	Segment Size (LxWxHmm)	Segment No. (pcs/set)
DSDB-05-57	2.25"(57mm)	22x3.5x10	5
DSDB-05-63	2.50"(63mm)	22x3.5x10	6
DSDB-05-70	2.75"(70mm)	22x3.5x10	7
DSDB-05-76	3"(76mm)	22x3.5x10	8
DSDB-05-82	3.25"(82mm)	22x3.5x10	9
DSDB-05-89	3.50"(89mm)	22x3.5x10	10
DSDB-05-102	4"(102mm)	22x3.5x10	10
DSDB-05-108	4.25"(108mm)	22x3.5x10	11
DSDB-05-114	4.50"(114mm)	22x3.5x10	11
DSDB-05-120	4.75"(120mm)	24x4.0x10	11
DSDB-05-127	5"(127mm)	24x4.0x10	11
DSDB-05-140	5.5"(140mm)	24x4.0x10	12
DSDB-05-146	5.75"(146mm)	24x4.0x10	13
DSDB-05-152	6"(152mm)	24x4.0x10	13
DSDB-05-159	6.25"(159mm)	24x4.0x10	14
DSDB-05-165	6.5"(165mm)	24x4.0x10	15
DSDB-05-178	7"(178mm)	24x4.0x10	16
DSDB-05-203	8"(203mm)	24x4.5x10	18
DSDB-05-229	9"(229mm)	24x4.5x10	20
DSDB-05-254	10"(254mm)	24x4.5x10	23
DSDB-05-280	11"(280mm)	24x5.0x10	25
DSDB-05-305	12"(305mm)	24x5.0x10	27
DSDB-05-330	13"(330mm)	24x5.5x10	30
DSDB-05-356	14"(356mm)	24x5.5x10	32


Great wall shape	Code No.	Diameter	Segment Size	Segment No.
	DSDB-06-52	2"(52mm)	22x3.0x10	7
	DSDB-06-57	2.25"(57mm)	22x3.5x10	5
	DSDB-06-63	2.50"(63mm)	22x3.5x10	6
	DSDB-06-70	2.75"(70mm)	22x3.5x10	7
	DSDB-06-76	3"(76mm)	22x3.5x10	8
	DSDB-06-82	3.25"(82mm)	22x3.5x10	9
	DSDB-06-89	3.50"(89mm)	22x3.5x10	10
	DSDB-06-102	4"(102mm)	22x3.5x10	10
	DSDB-06-108	4.25"(108mm)	22x3.5x10	11
	DSDB-06-114	4.50"(114mm)	22x3.5x10	11
	DSDB-06-120	4.75"(120mm)	24x4.0x10	11
	DSDB-06-127	5"(127mm)	24x4.0x10	11
	DSDB-06-140	5.5"(140mm)	24x4.0x10	12
	DSDB-06-146	5.75"(146mm)	24x4.0x10	13
	DSDB-06-152	6"(152mm)	24x4.0x10	13
	DSDB-06-159	6.25"(159mm)	24x4.0x10	14
	DSDB-06-165	6.5"(165mm)	24x4.0x10	15
	DSDB-06-178	7"(178mm)	24x4.0x10	16
	DSDB-06-203	8"(203mm)	24x4.5x10	18
	DSDB-06-229	9"(229mm)	24x4.5x10	20
	DSDB-06-254	10"(254mm)	24x4.5x10	23
	DSDB-06-280	11"(280mm)	24x5.0x10	25
	DSDB-06-305	12"(305mm)	24x5.0x10	27
	DSDB-06-330	13"(330mm)	24x5.5x10	30
	DSDB-06-356	14"(356mm)	24x5.5x10	32

V groove top	Code No.	Diameter	Segment Size	Segment No.
	DSDB-07-57	2.25"(57mm)	24x3.5x13	5
	DSDB-07-63	2.50"(63mm)	24x3.5x13	6
	DSDB-07-70	2.75"(70mm)	24x3.5x13	7
	DSDB-07-76	3"(76mm)	24x3.5x13	8
	DSDB-07-82	3.25"(82mm)	24x3.5x13	9
	DSDB-07-89	3.50"(89mm)	24x3.5x13	10
	DSDB-07-102	4"(102mm)	24x3.5x13	10
	DSDB-07-108	4.25"(108mm)	24x3.5x13	11
	DSDB-07-114	4.50"(114mm)	24x3.5x13	11
	DSDB-07-120	4.75"(120mm)	24x4.0x13	11
	DSDB-07-127	5"(127mm)	24x4.0x13	11
	DSDB-07-140	5.5"(140mm)	24x4.0x13	12
	DSDB-07-146	5.75"(146mm)	24x4.0x13	13
	DSDB-07-152	6"(152mm)	24x4.0x13	13
	DSDB-07-159	6.25"(159mm)	24x4.0x13	14

	DSDB-07-165	6.5"(165mm)	24x4.0x13	15
	DSDB-07-178	7"(178mm)	24x4.0x13	16
	DSDB-07-203	8"(203mm)	24x4.5x13	18
	DSDB-07-229	9"(229mm)	24x4.5x13	20
	DSDB-07-254	10"(254mm)	24x4.5x13	23
	DSDB-07-180	11"(280mm)	24x5.0x13	25
	DSDB-07-305	12"(305mm)	24x5.0x13	27
	DSDB-07-330	13"(330mm)	24x5.5x13	30
	DSDB-07-356	14"(356mm)	24x5.5x13	32

Serration top	Code No.	Diameter	Segment Size	Segment No.
	DSDB-08-57	2.25"(57mm)	24x3.5x13	5
	DSDB-08-63	2.50"(63mm)	24x3.5x13	6
	DSDB-08-70	2.75"(70mm)	24x3.5x13	7
	DSDB-08-76	3"(76mm)	24x3.5x13	8
	DSDB-08-82	3.25"(82mm)	24x3.5x13	9
	DSDB-08-89	3.50"(89mm)	24x3.5x13	10
	DSDB-08-102	4"(102mm)	24x3.5x13	10
	DSDB-08-108	4.25"(108mm)	24x3.5x13	11
	DSDB-08-114	4.50"(114mm)	24x3.5x13	11
	DSDB-08-120	4.75"(120mm)	24x4.0x13	11
	DSDB-08-127	5"(127mm)	24x4.0x13	11
	DSDB-08-140	5.5"(140mm)	24x4.0x13	12
	DSDB-08-146	5.75"(146mm)	24x4.0x13	13
	DSDB-08-152	6"(152mm)	24x4.0x13	13
	DSDB-08-159	6.25"(159mm)	24x4.0x13	14
	DSDB-08-165	6.5"(165mm)	24x4.0x13	15
	DSDB-08-178	7"(178mm)	24x4.0x13	16
	DSDB-08-203	8"(203mm)	24x4.5x13	18
	DSDB-08-229	9"(229mm)	24x4.5x13	20
	DSDB-08-254	10"(254mm)	24x4.5x13	23
	DSDB-08-280	11"(280mm)	24x5.0x13	25
	DSDB-08-305	12"(305mm)	24x5.0x13	27
	DSDB-08-330	13"(330mm)	24x5.5x13	30
	DSDB-08-356	14"(356mm)	24x5.5x13	32

Turbo shape	Code No.	Diameter	Segment Size	Segment No.
	DSDB-09-57	2.25"(57mm)	24x3.5x11	5
	DSDB-09-63	2.50"(63mm)	24x3.5x11	6
	DSDB-09-70	2.75"(70mm)	24x3.5x11	7
	DSDB-09-76	3"(76mm)	24x3.5x11	8
	DSDB-09-82	3.25"(82mm)	24x3.5x11	9
	DSDB-09-89	3.50"(89mm)	24x3.5x11	10
	DSDB-09-102	4"(102mm)	24x3.5x11	10



DSDB-09-108	4.25"(108mm)	24x3.5x11	11
DSDB-09-114	4.50"(114mm)	24x3.5x11	11
DSDB-09-120	4.75"(120mm)	24x4.0x11	11
DSDB-09-127	5"(127mm)	24x4.0x11	11
DSDB-09-140	5.5"(140mm)	24x4.0x11	12
DSDB-09-146	5.75"(146mm)	24x4.0x11	13
DSDB-09-152	6"(152mm)	24x4.0x11	13
DSDB-09-159	6.25"(159mm)	24x4.0x11	14
DSDB-09-165	6.5"(165mm)	24x4.0x11	15
DSDB-09-178	7"(178mm)	24x4.0x11	16
DSDB-09-203	8"(203mm)	24x4.5x11	18
DSDB-09-229	9"(229mm)	24x4.5x11	20
DSDB-09-254	10"(254mm)	24x4.5x11	23
DSDB-09-180	11"(280mm)	24x5.0x11	25
DSDB-09-305	12"(305mm)	24x5.0x11	27
DSDB-09-330	13"(330mm)	24x5.5x11	30
DSDB-09-356	14"(356mm)	24x5.5x11	32

Roof top turbo shape



Code No.	Diameter	Segment Size	Segment No.
DSDB-10-57	2.25"(57mm)	24x3.5x11	5
DSDB-10-63	2.50"(63mm)	24x3.5x11	6
DSDB-10-70	2.75"(70mm)	24x3.5x11	7
DSDB-10-76	3"(76mm)	24x3.5x11	8
DSDB-10-82	3.25"(82mm)	24x3.5x11	9
DSDB-10-89	3.50"(89mm)	24x3.5x11	10
DSDB-10-102	4"(102mm)	24x3.5x11	10
DSDB-10-108	4.25"(108mm)	24x3.5x11	11
DSDB-10-114	4.50"(114mm)	24x3.5x11	11
DSDB-10-120	4.75"(120mm)	24x4.0x11	11
DSDB-10-127	5"(127mm)	24x4.0x11	11
DSDB-10-140	5.5"(140mm)	24x4.0x11	12
DSDB-10-146	5.75"(146mm)	24x4.0x11	13
DSDB-10-152	6"(152mm)	24x4.0x11	13
DSDB-10-159	6.25"(159mm)	24x4.0x11	14
DSDB-10-165	6.5"(165mm)	24x4.0x11	15
DSDB-10-178	7"(178mm)	24x4.0x11	16
DSDB-10-203	8"(203mm)	24x4.5x11	18
DSDB-10-229	9"(229mm)	24x4.5x11	20
DSDB-10-254	10"(254mm)	24x4.5x11	23
DSDB-10-180	11"(280mm)	24x5.0x11	25
DSDB-10-305	12"(305mm)	24x5.0x11	27
DSDB-10-330	13"(330mm)	24x5.5x11	30
DSDB-10-356	14"(356mm)	24x5.5x11	32

Arix structure	Code No.	Diameter	Segment Size	Segment No.
	DSDB-11-22	7/8"(22mm)	16x3.0x10	3
	DSDB-11-25	1"(25mm)	16x3.0x10	4
	DSDB-11-29	1.18"(29mm)	16x3.0x10	4
	DSDB-11-32	1.25"(32mm)	16x3.0x10	4
	DSDB-11-35	1.38"(35mm)	16x3.0x10	4
	DSDB-11-38	1.50"(38mm)	16x3.0x10	5
	DSDB-11-42	1.63"(42mm)	16x3.0x10	5
	DSDB-11-45	1.75"(45mm)	16x3.0x10	6
	DSDB-11-48	1.88"(48mm)	16x3.0x10	6
	DSDB-11-52	2"(52mm)	16x3.0x10	7
	DSDB-11-57	2.25"(57mm)	22x3.5x10	5
	DSDB-11-63	2.50"(63mm)	22x3.5x10	6
	DSDB-11-70	2.75"(70mm)	22x3.5x10	7
	DSDB-11-76	3"(76mm)	22x3.5x10	8
	DSDB-11-82	3.25"(82mm)	22x3.5x10	9
	DSDB-11-89	3.50"(89mm)	22x3.5x10	10
	DSDB-11-102	4"(102mm)	22x3.5x10	10
	DSDB-11-108	4.25"(108mm)	22x3.5x10	11
	DSDB-11-114	4.50"(114mm)	22x3.5x10	11
	DSDB-11-120	4.75"(120mm)	24x4.0x10	11
	DSDB-11-127	5"(127mm)	24x4.0x10	11
	DSDB-11-140	5.5"(140mm)	24x4.0x10	12
	DSDB-11-146	5.75"(146mm)	24x4.0x10	13
	DSDB-11-152	6"(152mm)	24x4.0x10	13
	DSDB-11-159	6.25"(159mm)	24x4.0x10	14
	DSDB-11-165	6.5"(165mm)	24x4.0x10	15
	DSDB-11-178	7"(178mm)	24x4.0x10	16
	DSDB-11-203	8"(203mm)	24x4.5x10	18
	DSDB-11-229	9"(229mm)	24x4.5x10	20
	DSDB-11-254	10"(254mm)	24x4.5x10	23
	DSDB-11-280	11"(280mm)	24x5.0x10	25
	DSDB-11-305	12"(305mm)	24x5.0x10	27
	DSDB-11-330	13"(330mm)	24x5.5x10	30
	DSDB-11-356	14"(356mm)	24x5.5x10	32